



TECHNICAL PAINT SERVICES

B1/10 VARNISH BLACK BITUMINOUS

Features:

A non-toxic coating suitable for application to concrete and metal reservoirs and water towers, also for refreshing the surface of tarmac and asphalt conforming to BS3416 Type 1. Resistant to sulphates, acids and alkalis, B1/10 is also an ideal anti-corrosive coating for steelwork. Not suitable where temperature will exceed 70°C. Not to be used for drinking water tanks.

Availability:

5 Litre containers. Please note that our products are made to order and it may therefore take 5-7 days before shipping.

Volume Solids:

55% ± 2% (BS 3900 Part A10).

Preparation:

The substrate must be thoroughly clean, dry and free from corrosion, dust and grease. Previously painted surfaces should be de-rusted and all exposed metal surfaces treated with a suitable metal primer.

Application:

Brush, spray or dipping. On concrete, a minimum of three coats should be applied, allowing 16 hours drying between each coat. Concrete must be at least 6 months old. On metal, a minimum of two coats should be applied. Thinning is not normally necessary, but brushes should be cleaned with White Spirit.

Coverage:

Approximately 8 - 15 sq metres per Litre to achieve a dry film thickness of 35 microns, depending on porosity of substrate.

Drying:

Touch dry: 2 hours.
Recoatable & hard dry: 16 hours @ 20°C.

Health & Safety: Please see MSDS sheet **100B2**.

Note: For internal work, maximum ventilation is required. To assist drying if the air flow is insufficient, fans or other mechanical methods of circulating air should be adopted. Precautions must be taken to prevent operators from inhaling the vapours during application.

The foregoing information is given in good faith, based upon tests and experience. It should be noted that recommendations are made without guarantee, as the use of this product is beyond our control. See Standard Conditions of Sale.

The majority of our products are for professional and trade/contractor use only and are not intended for DIY application. Before using any product, please read the appropriate Material Safety Data Sheet and carry out a full risk assessment for the intended use and method of application.

B1/10 04 2014

FOR PROFESSIONAL USE ONLY. READ DATA BEFORE USE.

27 SOUTHCOTE ROAD BOURNEMOUTH BH1 3SH Tel 01202 295 570 Fax 0845 230 1255
Email enquiries@technicalpaintservices.co.uk www.technicalpaintservices.co.uk

Technical Paint Services is the trading name of Neatcross Ltd. Registered Office as above. Company No: 1570359.